

**DOUBLE REINFORCED BOX SCRAPER BLADE**

THESE LEVELING ARE PARTICULARLY SUITABLE TO REPAIR ROADS, SOIL WORK AS SPREAD MATERIALS: GRAVEL, DIRT, SAND, ... .. WORKING BOTH FORWARD AND BACKWARD, SPREADING AND LEVELING.



MODEL	WIDTH SHEET	HIGH LEAF	HP
AF 1.70 R	67"	29 1/5"	60 - 80
AF 1.80 R	70,87"	29 1/5"	60 - 80
AF 1.90 R	75"	29 1/5"	60 - 80
AF 2.00 R	78 3/4"	29 1/5"	80 - 110
AF 2.40 R	94,1/5"	29 1/5"	80 - 110

**DOUBLE SPECIAL TYPE BULLDOZER BLADE SCRAPER BOX CORNERS**

THESE LEVELING ARE PARTICULARLY SUITABLE FOR WORK OF HIGH PERFORMANCE AND PRECISION, ROAD REPAIRS, FLOORING, SPREAD

MATERIALS SUCH AS GRAVEL, DIRT, SAND, ... .. CLEARING WORK, WORK BOTH FORWARDS AND BACKWARDS, SPREADING AND LEVELING.



MODEL	WIDTH SHEET	HIGH LEAF	HP
AF 2.00 B	78 3/4"	29 1/5"	80 - 110
AF 2.40 B	94 1/5"	29 1/5"	80 - 110
AF 2.60 B	102,36	29 1/5"	130 – 200
AF 2.80 B	110,24 Inch	29 1/5"	130 – 200
AF 3.00 B	118,11 Inch	29 1/5"	130 – 200

BULLDOZER DOUBLE SHEET 102.36 Inch. CUTTING TRACTOR CARRIED BY A 160 HP, 100 TRUCKS SPREAD OF 30 TONNES OF GRAVEL, IN 10 HOURS AND LEAVE THE GROUND LEVEL.



## **DOUBLE SPECIAL TYPE BULLDOZER BLADE SCRAPER BOX LASER CORNERS**

THESE GRADERS ARE LISTED FOR BOTH WORK ABROAD PRECISION



**WORKING INSIDE**



**NOTE HOW WORKS BY BETWEEN COLUMNS**



<b>MODEL</b>	<b>WIDTH SHEET</b>	<b>HIGH LEAF</b>	<b>HP</b>
AF 2.00 BL	78,74 Inch	29 1/5"	80 - 110
AF 2.40 BL	94,49Inch	29 1/5"	80 - 110
AF 2.60 BL	102,36 Inch	29 1/5"	130 – 200
AF 2.80 BL	110,24 Inch	29 1/5"	130 – 200
AF 3.00 BL	118,11 Inch	29 1/5"	130 – 200

## **GRADER BLADE LASER SUSPENDED THREE POINTS OF TRACTOR**

GRADER BLADE SUSPENDED THREE POINTS, WITH WHEELS AND LASER GUIDED FOR LEVELING LAND THAT REQUIRES A COMPLETELY FLAT SURFACE, FOR OPTIMUM FUNCTIONALITY. FOR EXAMPLE, SOCCER FIELDS, SPORTS FACILITIES, INDUSTRIAL OR AREAS REQUIRING UNIFORM LAYER WATER, WHETHER FLOOD IRRIGATION, FOR SPRINKLER OR DRIP.

SUCH GRADER BLADE, INCORPORATED BY EXTENSIBLE BLADES HYDRAULIC DRIVE IN ALL THEIR MOVEMENTS, USING THE HYDRAULIC SYSTEMS OF THE TRACTOR. WITH EXCEPTIONAL ACCURACY, THEY CAN DO WORK WITH AN ERROR MARGIN OF 0.5 CENTIMETERS PER 100 METERS IN LENGTH. FULLY AUTOMATED WAY, THEY CAN LEAVE A GROUND, BOTH AGRICULTURAL AND INDUSTRIAL, AT LEVEL 0, A ONE OR TWO SLOPES, DEPENDING ON THE EQUIPMENT ISSUER.



<b>MODEL</b>	<b>INCH CLOSED</b>	<b>INCH OPEN</b>	<b>HP</b>
NSL	70.87 Inch	94,49Inch	30- 80
NSL1	78,74 Inch	118,11 Inch	50 – 100
NSL2	98.43 Inch	157.48 Inch	90 - 250

Box scraper Agriffranch works both forward and backward. Backward and forward scatter leveling, do the job like a bulldozer, but faster and spending less fuel, of course not as strong as the bulldozer or caterpillar. The three meters Box scraper spread and leveled 100 trucks of 30 tons in 10 hour

Laser grader weighs only 1500 kg of 4 meters, and can 2,50 meters can work with closed doors, with only one door opened, 3,25 meters or with those two doors opened, 4 meters. These are so light, but can make the same or much more work than those of their measure, with the particularity that would save 25% of fuel, they have only two swivels wheels and pass through which the tractor and not compact the earth, they are fast and very efficient made with high quality materials, both iron and the steel used.

Both, double sheet leveling and laser leveler, work much faster than a moto-grader, or moto-forming, also make sand road, or concrete roads, etc.

AGRIFFRANCH S.L. PHONE +34 962 780 312, EMAIL ADMIN@AGRIFFRANCH.COM  
HTTP://AGRIFFRANCH.COM YOUTUBE  
[https://www.youtube.com/results?search\\_query=agriffranch](https://www.youtube.com/results?search_query=agriffranch)